# Author Index of Volume 190


Abram, S., 257
Abram, U., 257
Abuhijleh, A. L., 11
Achiha, T., 271
Ahamdane, H., 237
Ahmed, I. Y., 11
Albinati, A., 119, 285
Antolovich, M., 205
Aratake, Y., 85
Arz, C., 119
Asaro, F., 71

Balt, S., 47
Basato, M., 19
Beauchamp, A. L., 79
Berger, H., 119
Beurskens, G., 163
Beurskens, P. T., 163
Bitit, N., 79
Block, E., 5, 97, 179
Bois, C., 217
Bouayad, A., 79
Bresadola, S., 279
Brown, P., 209
Bruvo, M., 169
Bukowska-Strżyzewska, M., 193
Bulthuis, H., 47

Camus, A., 71
Carpenter, J. P., 7
Che, C. M., 161
Chen, J.-D. 103
Chen, Q., 97
Clarke, E. T., 27, 37
Corain, B., 165
Cotton, F. A., 89, 103

Dartiguenave, M., 79
Dartiguenave, Y., 79
Davison, A., 231
Deblaton, M., 257
de Bolster, M. W. G., 47
Deydier, E., 79
Di Noto, V., 279
Duran, H., 79
Durant, F., 257

Eilmes, J., 19
Evrard, G., 257

Falvello, L. R., 89
Fanning, J. C., 149
Feiters, M. C., 163

Gerard, K. J., 135
Gerards, L. E. H., 47
Gorrichon, L., 79
Gougoutas, J. Z., 249
Graziani, R. 165
Grdenić, D., 169

Harrison, P. G., 209
Heath, G. A., 265
Heeb, G., 241
Hiraki, K., 157
House, D. A., 135
Huang, J. S., 161
Hussein, W., 257
Hynes, M. J., 209

Ikeda, I., 271
Ikemoto, K., 157
Isobe, K., 185

Jacobson, R. A., 129

Kajimaru, H., 271
Kang, H., 5, 97, 179
Kang, S.-J. 103
Kennedy, B. J., 265
Khoo, T. J., 265
Kida, S., 85
Kiely, J., 209
Knoch, F., 61
Koikawa, M., 85
Korpar-Čolig, B., 169
Kozelka, J., 217
Kurosawa, H., 271

Lee, B., 173
Lewandowski, W., 145
Li, Z. Y., 161
Lincoln, S. F., 223
Linder, K. E., 249
Lippert, B., 285
Longato, B., 165
Lukehart, C. M., 7
Ly-Lan Nguyen, 217

Mackor, A., 109
Malley, M. F., 249
Maniukiewicz, W., 193
Manotti Lanfredi, A. M., 71
Marega, C., 279
Marigo, A., 279
Marques, H. M., 291
Marsich, N., 71
Martell, A. E., 27, 37
Martens, C. F., 163
McKenna, A. G., 149
McManus, J., 209
Meinema, H. A., 109
Menu, M.-J., 79
Miller, S. E., 135
Morgan, G. F., 257
Mosset, A., 237
Mrozinski, J., 193
Murata, K., 185
Murillo, C. A., 89

Nakamoto, K., 145
Nasu, M., 1
Neuner, H.-P., 61
Nishida, Y., 1
Nolte, R. J. M., 163
Nowotnik, D. P., 249
Nunn, A. D., 249

Ofori-Okai, G., 5, 97, 179
Ōkawa, H., 85
Onishi, M., 157

Pellizer, G., 71
Pennington, W. T., 173
Phillips, D. J., 205
Pilloni, G., 165
Poon, C. K., 161
Popović, Z., 169
Pregosin, R. S., 119
Proniewicz, L. M., 145

Rae, A. D., 205
Renn, O., 285
Robinson, G. H., 173
Rodopoulos, T., 223

Schenning, A. P. H. J., 163
Schmid, R., 237
Schwotzer, W., 89
Sellmann, D., 61
Sheldrick, W. S., 241
Sigalas, M. P., 193
Simard, M., 79
Spee, K. I. M. A., 109
Spek, A. L., 109
Stach, J., 257
Stochel, G., 55

Thomas, J. A., 231
Thornback, J. R., 257
Timmer, K., 109
Tosik, A., 193
Tsipis, C. A., 193

Ugozzoli, F., 71
Umakoshi, K., 185

Valle, G., 19, 279
Valle-Bourrouet, G., 89
van der Sluis, P., 109
van Eldik, R., 55

Woods, C., 11
Wu, J., 5

Yamashita, S., 185
Yang, S., 129

Zannetti, R., 279
Zubieta, J., 5, 97, 179

# Subject Index of Volume 190


Alkaline earth metal complexes
  stabilities of alkaline earth and divalent transition metal complexes of tetraazamacrocyclic tetraacetic acid ligands, 27
  synthesis and characterization of volatile, thermally stable bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)Ba-, -Sr- and -Ca·polyether complexes suitable as precursors in chemical vapour deposition, 109
Alkenylidene complexes
  probing electronic structure of selected diplatinum-($\mu$-alkenylidene) complexes, 7
Alkoxide complexes
  new precursors in chemistry of IVB transition metal alkoxides; synthesis and molecular structure of $Zr_3Fe(\mu_4\text{-}O)(\mu_2\text{-}OC_3H_7)_6(OC_3H_7)_4(acac)_3$, 237
Aluminium complexes
  Group 13 chemistry of sterically hindered amines; synthesis and molecular structure of $[Me_2M\text{-}Ada]_2$ (M = Al, Ga; Ada = 1-amidoadamantane) and $[(i\text{-}Bu)Al\text{-}iminodibenzyl]_2$, 173
Amidato complexes
  two Cr(II) complexes with amidato-like ligands; compound with longest Cr–Cr bond and mononuclear compound with $D_{2d}$ symmetry, 89
Amine complexes
  Group 13 chemistry of sterically hindered amines; synthesis and molecular structure of $[Me_2M\text{-}Ada]_2$ (M = Al, Ga; Ada = 1-amidoadamantane) and $[(i\text{-}Bu)Al\text{-}iminodibenzyl]_2$, 173
  (1-methylthyminato-*N*3)(1-methylthymine-*N*3)-*cis*-diammineplatinum(II) hemihexachloroplatinate-(IV) dihydrate, 285
  reaction of dinitrito-2,2′-bipyridylcopper(II) with pyrrolidine in acetonitrile to form *N*-nitroso-pyrrolidine, 149
$\alpha$-Aminoether complexes
  stable Pt(II) complexed $\alpha$-aminoethers derived from benzimidazole and benzoxazole, 119
Ammine complexes
  kinetic comparison of *cis*- and *trans*-isomers and other *cis*-di(amine)di(chloro)Pt(II) compounds, 135
Aquo complexes
  synthesis, crystal structure and molecular modelling of aquo Mg tetra(methoxyphenyl)porphyrin, 129

Benzimidazole ligands
  stable Pt(II) complexed $\alpha$-aminoethers derived from benzimidazole and benzoxazole, 119
Benzoxazole ligands
  stable Pt(II) complexed $\alpha$-aminoethers derived from benzimidazole and benzoxazole, 119
Bidentate amine complexes
  first example of 1:1 Cu(II)–2,2′-bipyridine complex, 163
Bidentate ligand complexes
  analysis of $[(dien)Pd]^{2+}$ binding to 8-azapurines and allopurinol by proton NMR spectroscopy, 241
  interaction of $Zn^{2+}$ with *N*-(2-pyridyl-3-phenyl-2-propene amide, model in lignin biosynthesis inhibition by cinnamides; crystal and molecular structure of $[Zn(O\text{–}N)_2(CH_3OH)_2](CF_3SO_3)_2$, 79
  synthesis and solution state of $[(\mu\text{-dppf})(Cu(dppf))_2]X_2$ (dppf = 1,1′-bis(diphenylphosphino)-ferrocene; $X = ClO_4^-$, $BF_4^-$), 165
  X-ray structure of [dibromo(pco-*O*,*O*′)(pco-*O*)Cu(II)] (pco = 2-pyridinecarboxamide 1-oxide), simple structure which contains unidentate and bidentate form of same ligand, 205

Carboxylate complexes
  synthesis and crystal structure of $MgCl_2(CH_3COOC_2H_5)_2\cdot\frac{1}{2}(CH_3COOC_2H_5)$ adduct, 279
  synthesis and molecular structure of monomeric Cu(II) acetates with 2-methylimidazole and 1,2-dimethylimidazole, 11
  terpyridine complexes of $Hg(OCOCF_3)_2$ and $Hg(BF_4)_2$; crystal and molecular structure of mercuric trifluoroacetato-2,2′:6′,2″-terpyridine, 169
Catalysis
  syntheses and catalytic activities of new poly(1-pyrazolyl)boratoruthenium complexes containing weakly coordinating nitrile ligands, 157
Chelate complexes
  complexation of Li(I), Na(I), Ag(I) and Tl(I) by 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.5.5]eicosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]eicosane in trimethyl phosphate; potentiometric titration and $^7Li$ and $^{23}Na$ NMR study, 223
  first example of 1:1 Cu(II)–2,2′-bipyridine complex, 163
  interaction of $Zn^{2+}$ with *N*-(2-pyridyl-3-phenyl-2-propene amide, model in lignin biosynthesis inhibition by cinnamides; crystal and molecular structure of $[Zn(O\text{–}N)_2(CF_3OH)_2](CF_3SO_3)_2$, 79
  Re(V( and Tc(V) complexes with *N*-[2(1*H*-pyrolyl-methyl)]-*N*′-(4-pentene-3-one-2)ethane-1,2-diaminate ($C_{12}H_{16}N_3O$, MRP 20); X-ray crystal structures of $H_3$MRP 20 and TcO(MRP 20), 257
  stabilities of trivalent metal ion complexes of tetra-acetate derivatives of 12-, 13-, and 14-membered tetraazamacrocycles, 37
  synthesis and characterization of volatile, thermally stable bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)Ba-, -Sr- and -Ca·polyether complexes suitable as precursors in chemical vapour deposition, 109
  synthesis and solution state of $[(\mu\text{-dppf})(Cu(dppf))_2]X_2$ (dppf = 1,1′-bis(diphenylphosphino)-ferrocene; $X = ClO_4^-$, $BF_4^-$), 165

terpyridine complexes of $Hg(OCOCF_3)_2$ and $Hg(BF_4)_2$; crystal and molecular structure of mercuric trifluoroacetato-2,2′:6′,2″-terpyridine, 169
unexpected by-product obtained during preparation of Tc(III) boronic acid adducts of dioximes; single crystal structure of $TcCl(DMG)_2(BDI)BEt$ (DMG = dimethylglyoxime, BDI = butane-2,3-dione imine-oxime), 249
Chromium complexes
two Cr(II) complexes with amidato-like ligands; compound with longest Cr–Cr bond and mononuclear compound with $D_{2d}$ symmetry, 89
Cobalt complexes
cage mechanism for homolytic cleavage of Co–C bond in coenzyme $B_{12}$ by varying solvent viscosity, 47
reaction of 3,5-di-t-butyl-*o*-benzoquinone on Co(II)/M(III) (M = Y, La) heterodinuclear centres; formation and ESR spectra of Co(III)M(III)–semiquinone adducts, 85
Coenzyme $B_{12}$ complexes
cage mechanism for homolytic cleavage of Co–C bond in coenzyme $B_{12}$ by varying solvent viscosity, 47
Copper complexes
first example of 1:1 Cu(II)–2,2′-bipyridine complex, 163
new structural type for binuclear chloride-bridged Cu(II) complex; structural and magnetic characterization of di-$\mu$-chloro-chloropentakis(benzimidazole) dicopper(II) monochloride tetrahydrate, $[Cu_2Cl_3(C_7H_6N_2)_5]Cl \cdot 4H_2O$, 193
reaction of dinitrito-2,2′-bipyridylcopper(II) with pyrrolidine in acetonitrile to form *N*-nitrosopyrrolidine, 149
synthesis and molecular structure of monomeric Cu(II) acetates with 2-methylimidazole and 1,2-dimethylimidazole, 11
synthesis and solution state of $[(\mu\text{-dppf})(Cu(dppf))_2]X_2$ (dppf = 1,1′-bis(diphenylphosphino)-ferrocene; $X = ClO_4^-$, $BF_4^-$), 165
X-ray structure of [dibromo(pco-*O*,*O*′)(pco-*O*)Cu(II)] (pco = 2-pyridinecarboxamide 1-oxide), simple structure which contains unidentate and bidentate form of same ligand, 205
Crown ether complexes
crown thioether complexes of Fe, Co, Ni and Cu with $bzo_2$-18S6; X-ray structure analysis of $[Ni(bzo_2\text{-}18S6)][B(C_6H_5)_4]_2$ ($bzo_2$-18S6 = 2,3,11,12-dibenzo-1,4,7,10,13,16-hexathiacyclooctadeca-2,11-diene), 61
Crystal structure(s)
of $[\{Ag(S_2C\text{-}p\text{-}tolyl)PPh_3\}_2]$, 71
of aquo Mg tetra(methoxyphenyl)porphyrin, 129
of $[(Cp^*Rh)_2(\mu\text{-}Cl)_3][PtCl_5(CH_3CONH_2)]$ and $[(Cp^*Rh)_2(\mu\text{-}Cl)_3]_2[PtCl_6]$, 185
of Cr(II) complexes with amidato-like ligands, 89
of 1:1 Cu(II)–2,2′-bipyridine complex, 163
of $[Cu_2Cl_3(C_7H_6N_2)_5]Cl \cdot 4H_2O$, 193
of [dibromo(pco-*O*,*O*′)(pco-*O*)Cu(II)] (pco = 2-pyridinecarboxamide 1-oxide), 205
of $[Me_2M\text{-}Ada]_2$ (M = Al, Ga; Ada = 1-aminoadamantane) and [(i-Bu)Al-iminodibenzyl]$_2$, 173
of mercuric trifluoroacetato-2,2′:6′,2″-terpyridine, 169
of $MgCl_2(CH_3COOC_2H_5)_2 \cdot \frac{1}{2}(CH_3COOC_2H_5)$, 279
of $Mo_2Cl_2(OAc)_2Py_2$ and $MoOCl_2(dppe)(Py)$, 103
of $[Mo(NNC_6H_5)(2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)_3]$, 179
of monomeric Cu(II) acetates with 2-methylimidazole and 1,2-dimethylimidazole, 11
of $[Ni(Bzo_2Me_4[14]hexaenatoN_4)]$ complexes, 19
of $[Ni(bzo_2\text{-}18S6)][B(C_6H_5)_4]_2$ ($bzo_2$-18S6 = 2,3,11,12-dibenzo-1,4,7,10,13,16-hexathiacyclooctadeca-2,11-diene), 61
of $(NPr^n_4)_2[PtCl_3(\mu\text{-}N_2H_4)PtCl_3]$, 217
Re(V) and Tc(V) complexes with *N*-[2(1*H*-pyrolylmethyl)]-*N*′-(4-pentene-3-one-2)ethane-1,2-diaminate ($C_{12}H_{16}N_3O$, MRP 20), 257
of $[Rh(2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)_3]$ and $[Rh(2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)_2(C_5Me_5)] \cdot CH_3CN$, 97
of $[Sn(2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)_4]$ and $[Pb_3(2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)_6]$, 5
of $TcCl(DMG)_2(BDI)BEt$ (DMG = dimethylglyoxime, BDI = butane-2,3-dione imine-oxime), 249
of $Zr_3Fe(\mu_4\text{-}O)(\mu_2\text{-}OC_3H_7)_6(OC_3H_7)_4(acac)_3$, 237
of $[Zn(O\text{–}N)_2(CH_3OH)_2](CF_3SO_3)_2$, 79
Cyanide complexes
spectrophotometric determination of binding constants of cyanide by hemin in aqueous ethanol solutions, 291
Cyclopentadienyl complexes
reactivity of $[Cp^*RhPtCl_6]$ ($Cp^* = \eta\text{-}C_5Me_5$); synthesis and structures of $[(Cp^*Rh)_2(\mu\text{-}Cl)_3][PtCl_5(CH_3CONH_2)]$ and $[(Cp^*Rh)_2(\mu\text{-}Cl)_3]_2[PtCl_6]$, 185
Diazenido complexes
Mo complexes with sterically-hindered thiolate ligands; synthesis and structure of seven coordinate complex with Mo–diazenido core, $[Mo(NNC_6H_5)(2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)_3]$, 179
Dimetallic complexes
reactivity of $[Cp^*RhPtCl_6]$ ($Cp^* = \eta^5\text{-}C_5Me_5$); synthesis and structures of $[(Cp^*Rh)_2(\mu\text{-}Cl)_3][PtCl_5(CH_3CONH_2)]$ and $[(Cp^*Rh)_2(\mu\text{-}Cl)_3]_2[PtCl_6]$, 185
Dinuclear complexes
dinuclear Pt complex with bridging hydrazine; $(NPr^n_4)_2[PtCl_3(\mu\text{-}N_2H_4)PtCl_3]$, 217
formation of $Mn_2$(III/IV) species in reaction mixtures of hydrogen peroxide and binuclear $Mn_2$(II/II) or $Mn_2$(II/III) compounds, 1
metal–metal bonding and charge localisation in $[Ru_2X_9]^{n-}$, X = Cl or Br; $n = 1, 2, 3, 4$; spectroelectrochemical study, 265
probing electronic structure of selected diplatinum($\mu$-alkenylidene) complexes, 7
reaction of 3,5-di-t-butyl-*o*-benzoquinone on Co(II)M(III) (M = Y, La) heterodinuclear centres; formation and ESR spectra of Co(III)M(III)–semiquinone adducts, 85
reaction of $Mo_2(O_2CMe)_2Cl_2(dppe)$ with pyridine; structural characterizations of products of $Mo_2Cl_2(OAc)_2Py_2$ and $MoOCl_2(dppe)(Py)$, 103
Dioxygen complexes
IR spectra of 'base-free' dioxygen adducts of Ru(II) and Os(II) porphyrins, 145
Electronic structure(s)
of diplatinum($\mu$-alkenylidene) complexes, 7

metal–metal bonding and charge localisation in $[Ru_2X_9]^{n-}$, X = Cl or Br; $n = 1, 2, 3, 4$, 265
ESR spectroscopy
reaction of 3,5-di-t-butyl-*o*-benzoquinone on Co(II)M(III) (M = Y, La) heterodinuclear centres; formation and ESR spectra of Co(III)M(III)–semiquinone adducts, 85

Gallium complexes
Group 13 chemistry of sterically hindered amines; synthesis and molecular structure of $[Me_2M\text{-}Ada]_2$ (M = Al, Ga; Ada = 1-amidoadamantane) and $[(i\text{-}Bu)Al\text{-}iminodibenzyl]_2$, 173

Halide complexes
metal–metal bonding and charge localisation in $[Ru_2X_9]^{n-}$, X = Cl or Br; $n = 1, 2, 3, 4$; spectroelectrochemical study, 265
Hemin complexes
spectrophotometric determination of binding constant of cyanide by hemin in aqueous ethanol solutions, 291
Heterocyclic ligand complexes
new structural type for binuclear chloride-bridged Cu(II) complex; structural and magnetic characterization of di-$\mu$-chloro-chloropentakis(benzimidazole) dicopper(II) monochloride tetrahydrate, $[Cu_2Cl_3(C_7H_6N_2)_5]Cl \cdot 4H_2O$, 193
synthesis and molecular structure of monomeric Cu(II) acetates with 2-methylimidazole and 1,2-dimethylimidazole, 11
Hydrazine complexes
dinuclear Pt complex with bridging hydrazine, $(NPr^n_4)_2[PtCl_3(\mu\text{-}N_2H_4)PtCl_3]$, 217
Hydrogen peroxide complexes
formation of $Mn_2$(III/IV) species in reaction mixtures of hydrogen peroxide and binuclear $Mn_2$(II/II) or $Mn_2$(II/III) compounds, 1

Iron complexes
kinetics and mechanism of substitution of aquapenta cyanoferrate(III) by cytosine, cytidine and cytidine-5′-monophosphate, 55
new precursors in chemistry of IVB transition metal alkoxides; synthesis and molecular structure of $Zr_3Fe(\mu_4\text{-}O)(\mu_2\text{-}OC_3H_7)_6(OC_3H_7)_4(acac)_3$, 237
spectrophotometric determination of binding constants of cyanide by hemin in aqueous ethanol solutions, 291

Kinetic and mechanism
analysis of $[(dien)Pd]^{2+}$ binding to 8-azapurines and allopurinol by proton NMR spectroscopy, 241
cage mechanism for homolytic cleavage of Co–C bond in coenzyme $B_{12}$ complexes by varying solvent viscosity, 47
kinetic comparison of *cis*- and *trans*-isomers and other *cis*-di(amine)di(chloro)Pt(II) compounds, 135
reaction of dinitrito-2,2′-bipyridylcopper(II) with pyrrolidine in acetonitrile to form *N*-nitrosopyrrolidine, 149
spectrophotometric determination of binding constants of cyanide by hemin in aqueous ethanol solutions, 291
stabilities of alkaline earth and divalent transition metal complexes of tetraazamacrocyclic tetraacetic acid ligands, 27
stabilities of trivalent metal ion complexes of tetraacetate derivatives of 12-, 13-, and 14-membered tetraazamacrocycles, 37
of substitution of aquapentacyanoferrate(III) by cytosine, cytidine and cytidine-5′-monophosphate, 55

Lanthanoid complexes
reaction of 3,5-di-t-butyl-*o*-benzoquinone on Co(II)M(III) (M = Y, La) heterodinuclear centres; formation and ESR spectra of Co(III)M(III)–semiquinone adducts, 85
Lead complexes
thiolate chemistry of main group metals; synthesis and structures of $[Sn(2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)_4]$ and $[Pb_3(2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)_6]$, 5

Macrocyclic complexes
crystal and molecular structure of mono- and disubstituted $[Ni(Bzo_2Me_4[14]hexaenatoN_4)]$ complexes; first X-ray characterization of $-C(=NH)CN$ group, 19
Macrocyclic ligand complexes
complexation of Li(I), Na(I), Ag(I) and Tl(I) by 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.5.5]eicosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]eicosane in trimethyl phosphate; potentiometric titration and $^7Li$ and $^{23}Na$ NMR study, 223
stabilities of alkaline earth and divalent transition metal complexes of tetraazamacrocyclic tetraacetic acid ligands, 27
stabilities of trivalent metal ion complexes of tetraacetate derivatives of 12-, 13-, and 14-membered tetraazamacrocycles, 37
Magnesium complexes
synthesis and crystal structure of $MgCl_2(CH_3COOC_2H_5)_2 \cdot \frac{1}{2}(CH_3COOC_2H_5)$ adduct, 279
and molecular modelling of aquo Mg tetra-(methoxyphenyl)porphyrin, 129
Magnetism
new structural type for binuclear chloride bridged Cu(II) complex; structural and magnetic characterization of di-$\mu$-chloro-chloropentakis(benzimidazole) dicopper(II) monochloride tetrahydrate, $[Cu_2Cl_3(C_7H_6N_2)_5]Cl \cdot 4H_2O$, 193
Manganese complexes
formation of $Mn_2$(III/VI) species in reaction mixtures of hydrogen peroxide and binuclear $Mn_2$(II/II) or $Mn_2$(II/III) compounds, 1
Mercury complexes
terpyridine complexes of $Hg(OCOCF_3)_2$ and $Hg(BF_4)_2$; crystal and molecular structure of mercuric trifluoroacetato-2,2′:6′,2″-terpyridine, 169
Metal complexes
complexation of Li(I), Na(I), Ag(I) and Tl(I) by 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.5.5]eicosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]eicosane in trimethyl phosphate; potentiometric titration and $^7Li$ and $^{23}Na$ NMR study, 223
crown thioether complexes of Fe, Co, Ni and Cu with $bzo_2$-18S6; X-ray structure analysis of

[Ni(bzo$_2$-18S6)][B(C$_6$H$_5$)$_4$]$_2$ (bzo$_2$-18S6 = 2,3,11,12-dibenzo-1,4,10,13,16-hexathiacyclooctadeca-2,11-diene), 61
stabilities of trivalent metal ion complexes of tetra-acetate derivatives of 12-, 13-, and 14-membered tetraazamacrocycles, 37
Molybdenum complexes
Mo complexes with sterically-hindered thiolate ligands; synthesis and structure of seven coordinate complex with Mo–diazenido core, [Mo(NNC$_6$H$_5$)(2-SC$_5$H$_3$N-3-SiMe$_3$)$_3$], 179
reaction of Mo$_2$(O$_2$CMe)$_2$Cl$_2$(dppe) with pyridine; structural characterizations of products of Mo$_2$Cl$_2$(OAc)$_2$Py$_2$ and MoOCl$_2$(dppe)(Py), 103
Multidentate amine complexes
$^{31}$P NMR study of interaction of multidentate amines with Zn(II) bis(*O*,*O*′-di-iso-butyldithiophosphate), 209

Nitrile complexes
syntheses and catalytic activities of new poly(1-pyrazolyl)boratoruthenium complexes containing weakly coordinating nitrile ligands, 157
Nitrito complexes
reaction of dinitrito-2,2′-bipyridylcopper(II) with pyrrolidine in acetonitrile to form *N*-nitrosopyrrolidine, 149
Nucleic base complexes
kinetics and mechanism of substitution of aquapentacyanoferrate(III) by cytosine, cytidine and cytidine-5′-monophosphate, 55
Nucleobase complexes
(1-methylthyminato-*N*3)(1-methylthymine-*N*3)-*cis*-diammineplatinum(II) hemihexachloroplatinate(IV) dihydrate, 285

Osmium complexes
4-fluorophenylimido Os(VI) porphyrins; isolation and characterization, 161
IR spectra of 'base-free' dioxygen adducts of Ru(II) and Os(II) porphyrins, 145
Oxo complexes
high oxidation state Tc and Rh complexes of hydrotris(1-pyrazolyl)borate, 231

Palladium complexes
analysis of [(dien)Pd]$^{2+}$ binding to 8-azapurines and allopurinol by proton NMR spectroscopy, 241
Peroxo complexes
formation of $\mu$-peroxo–Pt complexes via attack of metallic and related electrophiles at $\eta^2$-dioxygen–Pt complexes, 271
Platinum complexes
dinuclear Pt complex with bridging hydrazine, (NPr$^n_4$)$_2$[PtCl$_3$($\mu$-N$_2$H$_4$)PtCl$_3$], 217
formation of $\mu$-peroxo–Pt complexes via attack of metallic and related electrophiles at $\eta^2$-dioxygen–Pt complexes, 271
kinetic comparison of *cis*- and *trans*-isomers and other *cis*-di(amine)di(chloro)Pt(II) compounds, 135
(1-methylthyminato-*N*3)(1-methylthymine-*N*3)-*cis*-diammineplatinum(II) hemihexachloroplatinate-(IV) dihydrate, 285
probing electronic structure of selected diplatinum-($\mu$-alkenylidene) complexes, 7
reactivity of [Cp*RhPtCl$_6$] (Cp* = $\eta_5$-C$_5$Me$_5$); synthesis and structures of [(Cp*Rh)$_2$($\mu$-Cl)$_3$][PtCl$_5$-(CH$_3$CONH$_2$)] and [(Cp*Rh)$_2$($\mu$-Cl)$_3$]$_2$[PtCl$_6$], 185
Polydentate ligand complexes
Re(V) and Tc(V) complexes with *N*-[2(1*H*-pyrolylmethyl)]-*N*′-(4-pentene-3-one-2)ethane-1,2-diaminate (C$_{12}$H$_{16}$N$_3$O, MRP 20); X-ray crystal structures of H$_3$MRP 20 and TcO(MRP 20), 257
synthesis and characterization of volatile, thermally stable bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)Ba- -Sr- and -Ca·polyether complexes suitable as precursors in chemical vapour deposition, 109
terpyridine complexes of Hg(OCOCF$_3$)$_2$ and Hg(BF$_4$)$_2$; crystal and molecular structure of mercuric trifluoracetato-2,2′:6′,2″-terpyridine, 169
unexpected by-product obtained during preparation of Tc(III) boronic acid adducts of dioximes; single crystal structure of TcCl(DMG)$_2$(BDI)BEt (DMG = dimethylglyoxime, BDI = butane-2,3-dione imine-oxime), 249
Porphyrin complexes
4-fluorophenylimido Os(VI) porphyrins; isolation and characterization, 161
IR spectra of 'base-free' dioxygen adducts of Ru(II) and Os(II) porphyrins, 145
synthesis, crystal structure and molecular modelling of aquo Mg tetra(methoxyphenyl)porphyrin, 129
Purine complexes
analysis of [(dien)Pd]$^{2+}$ binding to 8-azapurines and allopurinol by proton NMR spectroscopy, 241

Rhenium complexes
high oxidation state Tc and Rh complexes of hydrotris(1-pyrazolyl)borate, 231
Re(V) and Tc(V) complexes with *N*-[2(1*H*-pyrolylmethyl]-*N*′-(4-pentene-3-one-2)ethane-1,2-diaminate (C$_{12}$H$_{16}$N$_3$O, MRP 20); X-ray crystal structures of H$_3$MRP 20 and TcO(MRP 20), 257
Rhodium complexes
reactivity of [Cp*RhPtCl$_6$] (Cp* = $\eta^5$-C$_5$Me$_5$); synthesis and structures of [(Cp*Rh)$_2$($\mu$-Cl)$_3$]-[PtCl$_5$(CH$_3$CONH$_2$)] and [(Cp*Rh)$_2$($\mu$-Cl)$_3$]$_2$[PtCl$_6$], 185
Rh(III) complexes with sterically-hindered thiolate ligands; crystal structures of [Rh(2-SC$_5$H$_3$N-3-SiMe$_3$)$_3$] and [Rh(2-SC$_5$H$_3$N-3-SiMe$_3$)$_2$(C$_5$Me$_5$)]·CH$_3$CN, 97
Ruthenium complexes
IR spectra of 'base-free' dioxygen adducts of Ru(II) and Os(II) porphyrins, 145
metal–metal bonding and charge localisation in [Ru$_2$X$_9$]$^{n-}$, X = Cl or Br; $n$ = 1, 2, 3, 4; spectroelectrochemical study, 265
syntheses and catalytic activities of new poly(1-pyrazolyl)boratoruthenium complexes containing weakly coordinating nitrile ligands, 157

Schiff base compounds
stable Pt(II) complexed $\alpha$-aminoethers derived from benzimidazole and benzoxazole, 119
Silver complexes
Ag(I) complexes with aryldithiocarboxylates and tri-

phenylphosphine; crystal and molecular structure of dinuclear complex [{Ag($S_2C$-*p*-tolyl)$PPh_3$}$_2$] and NMR investigation of mononuclear compounds [Ag($S_2CAr$)($PPh_3$)$_2$] in solution, 71

Technetium complexes
high oxidation state Tc and Rh complexes of hydrotris(1-pyrazolyl)borate, 231
Re(V) and Tc(V) complexes with *N*-[2(1*H*-pyrolylmethyl)]-*N'*-(4-pentene-3-one-2)ethane-1,2-diaminate ($C_{12}H_{16}N_3O$, MRP 20); X-ray crystal structure of $H_3$MRP 20 and TcO(MRP 20), 257
unexpected by-product obtained during preparation of Tc(III) boronic acid adducts of dioximes; single crystal structure of $TcCl(DMG)_2(BDI)BEt$ (DMG = dimethylglyoxime, BDI = butane-2,3-dione imine-oxime), 249

Thiocarboxylate complexes
Ag(I) complexes with aryldithiocarboxylates and triphenylphosphine, crystal and molecular structure of dinuclear complex [{Ag($S_2C$-*p*-tolyl)$PPh_3$}$_2$] and NMR investigation of mononuclear compounds [Ag($S_2CAr$)($PPh_3$)$_2$] in solution, 71

Thiolate complexes
Mo complexes with sterically-hindered thiolate ligands; synthesis and structure of seven coordinate complex with Mo–diazenido core, [Mo($NNC_6H_5$)(2-$SC_5H_3N$-3-$SiMe_3$)$_3$], 179
Rh(III) complexes with sterically-hindered thiolate ligands; crystal structures of [Rh(2-$SC_5H_3N$-3-$SiMe_3$)$_3$] and [Rh(2-$SC_5H_3N$-3-$SiMe_3$)$_2$($C_5Me_5$)]·$CH_3CN$, 97
thiolate chemistry of main group metals; synthesis and structures of [Sn(2-$SC_5H_3N$-3-$SiMe_3$)$_4$] and [$Pb_3$(2-$SC_5H_3N$-3-$SiMe_3$)$_6$], 5

Tin complexes
thiolate chemistry of main group metals; synthesis and structure of [Sn(2-$SC_5H_3N$-3-$SiMe_3$)$_4$] and [$Pb_3$(2-$SC_5H_3N$-3-$SiMe_3$)$_6$], 5

Transition metal complexes
stabilities of alkaline earth and divalent transition metal complexes of tetraazamacrocyclic tetraacetic acid ligands, 27

Zinc complexes
interaction of $Zn^{2+}$ with *N*-(2-pyridyl)-3-phenyl-2-propene amide, model in lignin biosynthesis inhibition by cinnamides; crystal and molecular structure of [Zn(O−N)$_2$($CH_3OH$)$_2$]($CF_3SO_3$)$_2$, 79
$^{31}$P NMR study of interaction of multidentate amines with Zn(II) bis(*O,O'*-di-iso-butyldithiophosphate), 209

Zirconium complexes
new precursors in chemistry of IVB transition metal alkoxides; synthesis and molecular structure of $Zr_3Fe(\mu_4\text{-}O)(\mu\text{-}OC_3H_7)_6(OC_3H_7)_4(acac)_3$, 237